


Working Height Max. Horizontal Reach Max. Up And over Clearance Max. Overall Lift Capacity Max.


**Overall Width and Length** 

16 m (52'6") 7.75 m (25'5") 7.8 m (25'7") 260 kg (573 lb) 1.85 m x 6.36 m (6' x 20'10")

## LA14JE Articulated Boom Lifts-Electric Drive

## LA14JE SPECIFICATIONS >>>





DIMENSIONS	
Working Height Max.	16 m (52'6")
Platform Height Max.	14 m (45'11")
Operating Amplitude Max.	8.35 m (27'5")
Horizontal Reach Max.	7.75 m (25'5")
Up And Over Clearance Max.	7.8 m (25'7")
Platform Size (LxWxH)	1.83 x 0.76 x 1.1 m (6' x 2'6" x 3'7")
A. Length (Stowed/Transport)	6.36 m (20'10")
B. Width (Stowed/Transport)	1.85 m (6')
C. Height (Stowed/Transport)	2 m (6'7")
D. Ground Clearance	0.24 m (9")
E. Wheelbase	1.9 m (6'3")

PRODUCTIVITY	
Overall Lift Capacity Max.	260 kg (573 lb)
Platform Occupancy Max.	2
Platform Rotation	<u>±</u> 90°
Jib Length	1.45 m (4'9")
Vertical Jib Rotation (Up/Down)	-65° ~ +72°
Turntable Rotation	360° Discontinuous
Turntable Tailswing	0 m (0')
Drive Speed (Stowed)	5 km/h (3.1 mph)
Drive Speed (Raised)	1 km/h (0.6 mph)
Gradeability	30 %
Tilt Sensor Activation (Side to Side/Front to Back)	X 3° / Y 3°
Turning Radius (Inside/Outside)	2.39 / 3.89 m (7'10" / 12'9")
Tire Size (Solid Off-road)	250 - 15 / 7
Drive Steering Type	2WD x 2WS

WEIGHT	
Overall Weight	6,980 kg (15,388 lb)

POWER	
Battery (Lithium)	51.2 V / 304 Ah
Charger	48 V / 60 A
Lifting Motor	AC 7 kW
Drive Motor	AC 3.3 kW
Auxiliary Power Unit	12 V / DC
Hydraulic Tank Capacity	40 L (10 gal)

